



SAFETY DATA SHEET

Product Name: PeraMax Ultra
SDS# 5099

Effective Date: June 1, 2015
Revision 1A

1. IDENTIFICATION

Product Name: PeraMax Ultra™
Product Type: Irrigation Line Cleaner
Manufacturer: Flo-Tec Inc.
2151 34th Way N. Largo, Fl. 33771
Office Number (727-531-8796)
Emergency: Chemtrec: 800-424-9300
(24 HOURS EVERY DAY)

2. HAZARDOUS COMPONENTS

Hydrogen Peroxide 7722-84-1

3. HEALTH HAZARDS DATA

Health effects to over exposure to CONCENTRATE

- Corrosive to mucous membranes, eyes and skin
 - The seriousness of the lesions and the prognosis of intoxication depends directly on the concentration and duration of exposure.
 - *Skin:* May cause TEMPORARY skin discoloration and irritation.
 - *Eyes:* May cause severe eye damage.
 - *Ingestion:* HARMFUL OR FATAL: Causes; Corrosive to gastrointestinal tract, Paleness and cyanosis of the face, Bloating of stomach and belching, Nausea and vomiting, Risk of chemical pneumonitis and pulmonary edema.
 - *Inhalation:* Vapors or mist can cause irritation. People with asthma or other lung problems may be more affected.



SAFETY DATA SHEET

Product Name: PeraMax Ultra
SDS# 5099

Effective Date: June 1, 2015
Revision 1A

4. FIRST AID

General recommendations:

- In case of product splashing in eyes, treat eyes first
- Submerge soiled clothing in water
- Contact physician in all cases

Eyes: Immediately flush with plenty of cool running water. Remove contact lenses. Continue flushing for at least 15 minutes, holding eyelids apart to ensure rinsing of the entire eye. Administer analgesic eyewash (oxybuprocaine). Call a physician immediately.

Skin: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Rinse mouth at once; then drink 1 or 2 large glasses of water or milk. DO NOT induce vomiting. NEVER give anything by mouth to an unconscious person. Take person to the hospital.

Inhalation: Immediately move the person to fresh air.

5. FIRE AND EXPLOSION DATA

- Special fire hazards: Product (concentrate) can decompose and will release oxygen thereby adding to the fire hazard.
- Fire fighting method: Product is not flammable and can be quickly diluted with clean water.
- Oxidizing Agent: May cause spontaneous ignition with oxidizing agents.

6. SPILL OR LEAK PROCEDURES

- Cleanup: Rinse small amounts to drain when possible. Dike or dam large spills, pump to containers or soak in inert absorbent. Flush residue to sanitary sewer, rinse area thoroughly with clean water.
- Avoid materials that are incompatible with concentrate.
- Waste Disposal: Consult state and local authorities for restrictions on disposal of chemical wastes. Unused product (concentrate) is classified as a (D002) by RCRA criteria.



SAFETY DATA SHEET

Product Name: PeraMax Ultra
SDS# 5099

Effective Date: June 1, 2015
Revision 1A

7. HANDLING AND STORAGE

- Never return product back to the original container.
- Keep concentrate away from reactive substances
- Prevent contact with organic materials
- Keep product in original container
- Store in cool, ventilated area
- Never use metal containers or spigots
- Use vented container
- Warn personnel of dangers of concentrated product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory: Avoid breathing mists or vapors of concentrate.

Eyes: Use chemical splash goggles when handling concentrate. For continued severe exposure, wear a face shield over the goggles.

Skins: Rubber gloves – protective or gauntlet type preferred when handling concentrate. Use aprons.

Respiratory protection:

- NIOSH approved full-face respirator for excessive conditions
- Hand gloves for handling concentrate = butyl rubber
- Eye protection – chemical proof goggles/face shield for splash risk
- Skin protection – coveralls when handling concentrate

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Odor: Pungent

Freezing Point: Not applicable, product decomposes

Specific gravity: 1.09

pH: 1.33

Solubility: Complete

Decomposition temperature: self-accelerating
decomposition temperature >55° C



2151 34TH WAY N. - LARGO, FL 33771

(727) 531-8796 - WWW.FLO-TECINC.COM

SAFETY DATA SHEET

Product Name: PeraMax Ultra
SDS# 5099

Effective Date: June 1, 2015
Revision 1A

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions, with slow oxygen release

Conditions to avoid: Heat / Direct Sunlight

Materials to avoid: Acids, Bases, Reducing Agents, Organic Materials, Metals & Salts of Metals

11. TOXICOLOGICAL INFORMATION

There is no data on this product

12. ECOLOGICAL INFORMATION

There is no data on this product

13. DISPOSAL CONSIDERATIONS

- Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.
- Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
- Triple rinse (or equivalent). Then offer for recycling or dispose in a sanitary landfill, or incineration, if allowed by state and local authorities by burning. Stay out of smoke.

14. TRANSPORTATION INFORMATION

DOT Shipping Name: Hydrogen Peroxide, Aqueous Solutions With Not Less Than 20% But Not More Than 40% Hydrogen Peroxide (Stabilized As Necessary), 5.1(8), UN2014, PGII
UN Number 2014

Hazard Class 5.1

Primary Hazard Label: Oxidizer

Subsidiary Risk Label: Corrosive

Packing Group II



SAFETY DATA SHEET

Product Name: PeraMax Ultra
SDS# 5099

Effective Date: June 1, 2015
Revision 1A

15. Regulatory Information

TSCA Inventory List Yes

CERCLA Hazardous Substance (40 CFR 302)

Listed substance: No

Unlisted substance: Yes

Characteristic: Corrosive

Reportable Quantity: 1 pound

NFPA Rating Health: 2 Flammability – 0 Reactivity 3 Special – OXY

HMIS Rating Health: 2 Flammability – 0 Reactivity -2 PPE – Required

Canadian WHMIS Classification: C - Oxidizing E - Corrosive

F - Dangerously Reactive

16. Other Information:

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither Flo-Tec nor any of its affiliates make any warranty, expressed or implied, or accept any liability in connection with the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed.

***Disclaimer: Terms and Conditions:** This MSDS (SDS) is designed only as guidance for the product which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantability of fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on a manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor manufacturer (nor agents, directors, officers, contractors or employees of either) are liable to any party for the damages of any nature, including direct, special or consequential damages arising out of or in connection with accuracy, completeness, adequacy or furnishing of any information in the MSDS (SDS), or in any other way related (directly or indirectly) to this MSDS (SDS). The receipt and use of this information constitutes consent to these terms and conditions.*