



Canker-Solv™

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 1 oz. per gallon of water (1700 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces: *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter cloacae*, *Enterococcus faecalis*, *Enterococcus faecium* (Ampicillin, Penicillin, Vancomycin, Gentamicin, Cefazolin Resistant), *Escherichia coli* (ESBL), *Escherichia coli* O25:H4, *Klebsiella aerogenes*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* (MDR), *Legionella pneumophila*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella enterica* subspecies enterica serovar Paratyphi B, *Salmonella enterica* subspecies enterica serovar Typhi, *Serratia marcescens*, *Shigella dysenteriae*, *Shigella flexneri* serotype 2B, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* (Community Acquired Methicillin Resistant), *Staphylococcus aureus* (MDR), *Streptococcus pyogenes*, *Vibrio cholerae*.

NON-FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 5 minutes at 0.5 oz. per 5.5 gallons of water (150 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces against: *Klebsiella pneumoniae*, *Staphylococcus aureus*.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 1 oz. per gallon of water (1700 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces: *Candida albicans*, *Trichophyton interdigitale* (Athlete's foot fungus) (a cause of Ringworm).

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 1 oz. per gallon of water (1700 ppm active) in 400 ppm hard water, 5% soil on hard non-porous surfaces for up to 7 days: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE AS A GENERAL DISINFECTANT, CLEANER: 1. Pre-clean visibly soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 10 minutes. Rinse with potable water after use on surfaces that come in contact with food. 4. Wipe dry or allow to air dry. 5. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled surfaces. Add 0.5 oz. of this product per 5.5 gal. of water (150 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 5 minutes. Prepare a fresh solution daily or when visibly dirty.

TO KILL FUNGI: Pre-clean visibly soiled surfaces. Prepare use solution by adding 1 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces (and let air dry).

TO CONTROL MOLD/MILDEW: Pre-clean hard, non-porous surfaces. Prepare use solution by adding 1 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

F/T - LABEL #6025

REV. #5A - Date: 10/06/22

CITRUS CANKER CONTROL AND CONTROL OF BACTERIA SPOT ON TOMATOES: For prevention of Citrus Canker and Bacterial Spot of Tomatoes Diseases through treatment of pre-cleaned equipment. Effective against *Xanthomonas axonopodis* pv. *citri* (Citrus Canker) and *Xanthomonas campestris* pv. *vesicatoria* (bacteria spot of tomatoes) at 2000 ppm active. Treatment can be applied to trucks, attached trailers, field harvesting equipment, including cargo area, wheels, tires, undercarriage, hood, roof, fenders and any other hard, non-porous part of equipment that can be taken into infested areas. Thoroughly clean surfaces with soap or detergent and rinse with water. Then saturate surfaces with a use dilution of 1:108 (or equivalent use dilution) (2000 ppm active) for a period of 10 minutes. Allow to air dry. Surfaces that come in contact with food or crop must be rinsed with potable water before reuse. To prevent the spread of Citrus Canker Disease by this artificial means of transportation, treatments are made by trigger spraying, dipping or brushing. Clothing must be either thoroughly rinsed or laundered before reuse. Footwear must be rinsed before reuse. Prepare a fresh solution daily or when visibly dirty.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

For non-refillable containers equal to or less than 5 gal.

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For non-refillable containers greater than 5 gal.

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

K-21



Canker-Solv™

E.P.A. Reg. No. 10324-72-72160

E.P.A. Est. No. 72160-FL-1

Disinfectant, Cleaner, Mildewstat, Fungicide, Non-Food Contact Sanitizer For use on Harvesting and Handling Equipment.

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16)

Dimethyl Benzyl Ammonium Chloride 8.68%

Octyl Decyl Dimethyl Ammonium Chloride 6.50%

Didecyl Dimethyl Ammonium Chloride 3.26%

Diocetyl Dimethyl Ammonium Chloride 3.26%

OTHER INGREDIENTS: 78.30%

TOTAL: 100.00%

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**KEEP OUT OF
REACH OF CHILDREN
DANGER**

See back panel for additional
precautionary statements.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Lot/Batch No.:

Net Contents:

- 1 Gal ○ 5 Gal
- 30 Gal ○ 55 Gal
- 6x1 Gal (Total: 6 Gal)



www.flo-tecinc.com

800-335-6832

**2151 34th Way N.
Largo, FL 33771**